

Interviewer Name: Dr. Bassem Date: 29 May 2025
 Syrian till 2017
 Patient Name: محمد (القادر) عمار DOB: 25 (1-1-2025)
 Mother: Job: ربة منزل; Description: ناشطة مدنية، متفرغة
 Father: Job: Not working; Description: 2013 passed smoking
 Siblings: Order: 4/4; significant data: 20 yrs younger than the 3rd
 Marital Status: single Children: 0

Patient Education: ثانية ثانوي في سوريا رغم اكمل التعليم

Patient Employment: عملت في ورشة الاخ لمدة شهر منذ 9 سنوات في سوريا
وشركت العمل بسبب مشاكل مع عامل هناك ، لم تحصل منذ هذا

CC: _____

Complaint: الحص ٢٠١٨ وأنا عصية ، كلام فني في البيت ، انا صبيتي كويس
لما بنزل فيهم كلام ، انا كانت بتخليني قعد مع جاريش بنتها فلوهمي
حجات عن الجواز ، انا شوفت بنادي من سوريا هناك مشغول وفتني
تحت البيت هم يقولون ده وهم بنات فلاح ما بعد نظرية
فخلت من ٢٠١٨ ومضت على مواد كتير في حفيش تص من انا مشغول تعب
فني ، انا كويس بعام كويس ومفيش مشاكل

Depression	Mania
<input type="checkbox"/> Persistent sadness or low mood <input type="checkbox"/> Loss of interest or pleasure in activities <input type="checkbox"/> Changes in appetite or weight <input type="checkbox"/> Sleep disturbances (too much or too little) <input type="checkbox"/> Fatigue or low energy <input type="checkbox"/> Feelings of worthlessness or guilt <input type="checkbox"/> Difficulty concentrating or making decisions <input type="checkbox"/> Thoughts of death or suicide <input type="checkbox"/> Physical aches and pains without cause <input type="checkbox"/> Withdrawal from social life	<input checked="" type="checkbox"/> Increased energy or activity <input type="checkbox"/> Inflated self-esteem or grandiosity <input type="checkbox"/> Decreased need for sleep <input checked="" type="checkbox"/> Racing thoughts or rapid speech <input type="checkbox"/> Distractibility <input checked="" type="checkbox"/> Impulsive or risky behavior <i>talking to strangers about marriage</i> <input type="checkbox"/> Increased goal-directed activity <input checked="" type="checkbox"/> Irritability or agitation <input type="checkbox"/> Poor judgment <input checked="" type="checkbox"/> Psychotic Symptoms
Schizophrenia	GAD
<input type="checkbox"/> Hallucinations <input checked="" type="checkbox"/> Delusions <i>reference, misinterpretation</i> <input type="checkbox"/> Disorganized thinking or speech <input checked="" type="checkbox"/> Unusual or disorganized behavior <input type="checkbox"/> Lack of motivation or emotion <input checked="" type="checkbox"/> Social withdrawal <input checked="" type="checkbox"/> Flat affect (reduced emotional expression)	<input type="checkbox"/> Excessive worry about various things <input type="checkbox"/> Restlessness or feeling "on edge" <input type="checkbox"/> Fatigue <input type="checkbox"/> Difficulty concentrating <input type="checkbox"/> Irritability <input type="checkbox"/> Muscle tension <input type="checkbox"/> Sleep disturbances

- | | |
|---|--|
| <input type="checkbox"/> Exploits others for personal gain
<input type="checkbox"/> Arrogant or entitled | |
|---|--|

Drug History:

Forensic History:

Current Risk: ☐ Hx of Suicide ☐ Hx of DSH ☐ Current death wishes ☐ Current Suicide intent
☐ Current plan ☐ Risk to

others

Current Meds: Depakine chrono 500 BID, Aripiprazole 2g BID, Olanzapine 10 nightly (monthly)
Previously Trileptal 600 1x BID

Past Medical History: None

Assessment and Diagnosis: Schizoaffective Manic

Plan:

- Medications:
 - ↓ Depakine 500 0-0-0 1 week then stop
 - ↓ Olanzapine 5g 0-0-0 1 week then stop
 - Aripiprazole 10g ↑ to 20 next follow-up
 - Trileptal 300mg 1-0-1 ↑ to 600 next follow-up
- ☒ Patient informed regarding possible side effects
- Labs: CBC, AST, ALT, Cr, Urea, TSH, Lipid, HbA1c
- Psychometric tests: None
- Therapy: None at the moment.

<input type="checkbox"/> Difficulty with attention and memory	<input type="checkbox"/> Overthinking worst-case scenarios
OCD	Cluster A Personality Traits
<input type="checkbox"/> Intrusive, unwanted thoughts <input type="checkbox"/> Repetitive behaviors or rituals <input type="checkbox"/> Excessive focus on order, symmetry, or cleanliness <input type="checkbox"/> Fear of contamination <input type="checkbox"/> Repeating actions <input type="checkbox"/> Time-consuming routines interfere with life <input type="checkbox"/> Distress if unable to perform rituals	Paranoid Traits <input type="checkbox"/> Distrusts others without sufficient basis <input type="checkbox"/> Reads hidden threats into benign remarks <input type="checkbox"/> Reluctant to confide in others <input type="checkbox"/> Bears grudges <input type="checkbox"/> Suspects partner of infidelity Schizoid Traits <input type="checkbox"/> Detached from social relationships <input type="checkbox"/> Prefers solitary activities <input type="checkbox"/> Little interest in emotional intimacy <input type="checkbox"/> Appears emotionally cold or flat <input type="checkbox"/> Indifferent to praise or criticism Schizotypal Traits <input type="checkbox"/> Odd beliefs or magical thinking <input type="checkbox"/> Unusual perceptual experiences <input type="checkbox"/> Odd speech or behavior <input type="checkbox"/> Social anxiety that doesn't ease <input type="checkbox"/> Suspiciousness or paranoid ideation <input type="checkbox"/> Inappropriate or constricted affect
Cluster B Personality Traits	Cluster C Personality Traits
Antisocial Traits <input type="checkbox"/> Disregards others' rights <input type="checkbox"/> Impulsive and irresponsible <input type="checkbox"/> Deceitful and manipulative <input type="checkbox"/> Repeatedly engages in illegal acts <input type="checkbox"/> Lacks remorse Borderline Traits <input type="checkbox"/> Intense and unstable relationships <input type="checkbox"/> Emotional instability or mood swings <input type="checkbox"/> Fear of abandonment <input type="checkbox"/> Identity disturbance <input type="checkbox"/> Self-harm or suicidal behaviors <input type="checkbox"/> Impulsivity (e.g., sex, drugs, spending) Histrionic Traits <input type="checkbox"/> Seeks to be center of attention <input type="checkbox"/> Shallow, rapidly shifting emotions <input type="checkbox"/> Inappropriately seductive behavior <input type="checkbox"/> Overly dramatic, theatrical speech <input type="checkbox"/> Easily influenced by others Narcissistic Traits <input type="checkbox"/> Grandiose sense of self-importance <input type="checkbox"/> Preoccupied with fantasies of success <input type="checkbox"/> Requires excessive admiration <input type="checkbox"/> Lacks empathy	Avoidant Traits <input type="checkbox"/> Avoids social contact due to fear of criticism or rejection <input type="checkbox"/> Feels inadequate or socially inept <input type="checkbox"/> Reluctant to take risks or try new things <input type="checkbox"/> Inhibited in new social situations <input type="checkbox"/> Extremely sensitive to negative evaluation Dependent Traits <input type="checkbox"/> Difficulty making everyday decisions without reassurance <input type="checkbox"/> Needs others to assume responsibility <input type="checkbox"/> Feels helpless when alone <input type="checkbox"/> Urgently seeks new relationships for support <input type="checkbox"/> Difficulty expressing disagreement Obsessive-Compulsive Personality Traits <input type="checkbox"/> Preoccupied with order, perfection, and control <input type="checkbox"/> Rigid about rules and morality <input type="checkbox"/> Excessively devoted to work at the expense of leisure <input type="checkbox"/> Inflexible about how things should be done <input type="checkbox"/> Reluctant to delegate