☐ Difficulty with attention and memory	Overthinking worst-case scenarios	
OCD	Cluster A Personality Traits	
Intrusive, unwanted thoughts Repetitive behaviors or rituals Excessive focus on order, symmetry, or cleanliness Fear of contamination Repeating actions Time-consuming routines interfere with life Distress if unable to perform rituals Hybrane, Proper Mahl thanks repeting chuking an derro, ga	Paranoid Traits Distrusts others without sufficient basis Reads hidden threats into benign remarks Reluctant to confide in others Bears grudges Suspects partner of infidelity Schizoid Traits Detached from social relationships Prefers solitary activities Little interest in emotional intimacy Appears emotionally cold or flat Indifferent to praise or criticism Schizotypal Traits Odd beliefs or magical thinking Unusual perceptual experiences Odd speech or behavior Social anxiety that doesn't ease Suspiciousness or paranoid ideation Inappropriate or constricted affect	
Cluster B Personality Traits	Cluster C Personality Traits	
Antisocial Traits Disregards others' rights Impulsive and irresponsible Deceitful and manipulative Repeatedly engages in illegal acts Lacks remorse Borderline Traits Intense and unstable relationships Emotional instability or mood swings Fear of abandonment Identity disturbance Self-harm or suicidal behaviors Impulsivity (e.g., sex, drugs, spending) Histrionic Traits Seeks to be center of attention Shallow, rapidly shifting emotions Inappropriately seductive behavior Overly dramatic, theatrical speech Easily influenced by others Narcissistic Traits Grandiose sense of self-importance Preoccupied with fantasies of success Requires excessive admiration Lacks empathy	Avoidant Traits Avoids social contact due to fear of criticism or rejection Reluctant to take risks or try new things Inhibited in new social situations Extremely sensitive to negative evaluation Dependent Traits Difficulty making everyday decisions without reassurance Needs others to assume responsibility Feels helpless when alone Urgently seeks new relationships for support Difficulty expressing disagreement Obsessive-Compulsive Personality Traits Preoccupied with order, perfection, and control Rigid about rules and morality Excessively devoted to work at the expense of leisure Inflexible about how things should be done Reluctant to delegate	

.

Drug	History: VA
Foren	sic History:N_A
	nt Risk: ☑Hx of Suicide ☐Hx of DSH ☑Current death wishes ☐Current Suicide Intent ☐Current plan ☐Risk to
	nt Meds: Trilephol 700 000, Roson 20 x2, Stelland x2, Shollow x2
- 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
recei	red 6 ECT previously.
Past I	red 6 Ect previsury. Medical History: None
Past I	red 6 ECT previously.
Past I	medical History: None Medical Community: None Medicalions: Progres X2 Analysis 755 X1 Nevertin X1 Second (6)
Past I Asses	red 6 Ect previsury. Medical History: None
Past I Asses	Medications: Preserve, Asalmant 755 XI, Demarin XI, Seared to Stellassi So XI, Sheeper 35 XI
Past I Asses	medical History: None Medical Community: None Medicalions: Progres X2 Analysis 755 X1 Nevertin X1 Second (6)
Past I Asses	Medications: Preserve, Asalmant 755 XI, Demarin XI, Seared to Stellassi So XI, Sheeper 35 XI

Interviewer Name: Bassen Rury	Date: 18/5/2025
Mother: Job: ; Description data: ; Description	en: 1 fram presions follow 2 from current s, presion a sorreion & visione, separated Syrs. Then got dissorred, currently visits of calls
Patient Employment: House with	
ا) بردارشی ا بردلینی ارزی ا الارم ایم حاق بربیلی نزید ان ما اخرج خانص عن م سیدی و معادی عی م سیدی و معادی م سیدی و معادی عی م سیدی و معادی م سیدی و معادی	املی تنتیر ، ایدیلی مکرد علی کول ان
Persistent sadness or low mood ∠Loss of interest or pleasure in activities Changes in appetite or weight Sleep disturbances (too much or too little) Fatigue or low energy Feelings of worthlessness or guilt Difficulty concentrating or making decisions Thoughts of death or suicide Physical aches and pains without cause Withdrawal from social life	☐ Increased energy or activity ☐ Inflated self-esteem or grandiosity ☐ Decreased need for sleep ☐ Racing thoughts or rapid speech ☐ Distractibility ☐ Impulsive or risky behavior ☐ Increased goal-directed activity ☐ Irritability or agitation ☐ Poor Judgment ☐ Psychotic Symptoms
Schizophrenia	GAD
☐ Hallucinations	☐ Excessive worry about various things