

Interviewer Name: Dr. Bassem Rany Date: 13/10/2025
جدي

Patient Name: Leila DOB: 28/12/1996 Age: 28

Patient Education: Mult

Patient Employment: Pier 88, reservation

Marital Status: NA

Children: NA

Father: 2013 passed, 39 years age, father الاب

Mother: 46 yrs, mother الأم

Siblings: Order: 1/2; significant data: brother 6 yrs younger

CC: _____

HPI: _____

M: _____

Anxious for the past 1-2 yrs, poor sleep, muscle aches, overthinking

Impulsive behavior (left college, didn't complete it due to her friend (dependent relationship) (graduating college)

Multiple inappropriate relationships (dependencies)

Hx of suicidal attempt in 2013 (killed cutting her wrist - no medical intervention needed, in 2021 tried injecting air into her thumb with the purpose of dying.

Mood swings throughout her teen years till now.

Poor relation with father before his passing in 2013 & mother hyper critical of her all the time and controlling

Drug History: NA

Forensic History: NA

Current Risk: ☐ None ☒ Hx of Suicide ☐ Hx of DSH ☒ Current death wishes ☐ Current Suicide intent ☐ Current plan ☐ Risk to others

Currently no plan or intent.

Past Psychiatric History:

1st time

Past Medical History: Cholelithiasis.

FH: NA. cousin (uncle) smokes THC + EtoH

SH:

Lives w/ Mother & brother

Pressured by mother for marriage

MSE: It appears her stated age, anxious throughout, "Anxious" mood, reactive affect, no HT, no SI, death wishes, no psychosis, no obsessions, preoccupied w/ her hiding her not completing college, and marriage. Partial insight.

Current Meds: NA

Assessment and Diagnosis: GAD comorbid BPP

Plan:

- Medications: Prozac 20mg

- Trifluoro 50mg

☒ Patient informed regarding possible side effects

- Labs: Full labs ordered

- Psychometric tests:

- Therapy: Repeat consultation in 1 week for further Hx